



**QMFZ2.E34739**  
**Plastics+-+Component**

Additional information regarding this certification can be found in UL's iQ Family of Databases ([www.ul.com/iq](http://www.ul.com/iq)).  
NEW -- for additional information concerning the individual material, click on the material designation.

[Page Bottom](#)

**Plastics - Component**

[See General Information for Plastics - Component](#)

**E I DUPONT DE NEMOURS & CO INC**  
ADVANCED FIBERS SYSTEMS  
5401 JEFFERSON DAVIS HWY  
PO BOX 27001  
RICHMOND, VA 23261 USA

E34739

Material Dsg	Color	Min. Thk mm	Flame Class	H		RTI			H	D	C
				W	A	Elec	Mech		V	4	
				I	I		Imp	Str	T	9	
				I	I			R	5	I	
<b>Aramid Insulating Paper, board, "Nomex", furnished as sheets.</b>											
<b>585, GABR</b>	NC	0.50	V-0	3	-	220	-	220			3
<b>586, GABS</b>	NC	0.50	V-0	3	-	220	-	220			2
<b>Aramid Insulating Paper, "Nomex", furnished as sheets.</b>											
<b>410</b>	NC	0.051	-	0	3	220	-	220	3		3
		0.12	V-0	0	1	220	-	220			
		0.18	V-0	0	1	220	-	220			
		0.254	V-0	0	0	220	-	220			
		0.38	V-0	0	0	220	-	220			
		0.76	V-0	0	0	220	-	220			
<b>411</b>	NC	0.12	-	0	4	220	-	220	1		3
		0.25	V-0	0	4	220	-	220			
		0.58	V-0	0	0	220	-	220			
<b>414</b>	NC	0.18	V-0	0	0	220	-	220	3		3
		0.38	V-0	0	0	220	-	220			
<b>416</b>	NC	0.051	-	4	4	200	-	200	3	6	
		0.381	-	3	2	200	-	200			
<b>418</b>	NC	0.076	V-0	4	4	220	-	220	3		3
		0.12	V-0	4	4	220	-	220			
		0.25	V-0	4	4	220	-	220			
<b>419</b>	NC	0.18	V-0	-	3	220	-	220	2		
		0.33	V-0	4	4	220	-	220			
<b>464</b>	NC	0.051	-	4	3	200	-	200	4		2
		0.076	-	4	2	200	-	200			
<b>992</b>	NC	1.6	V-0	1	-	220	-	220	3		3
		3.2	V-0	0	-	220	-	220			
<b>993</b>	NC	1.0	V-0	3	-	220	-	220	2		3
		3.0	V-0	0	-	220	-	220			
		4.0	V-0	0	-	220	-	220			
<b>994</b>	NC	1.0	V-0	-	-	220	-	220	2		3
		2.0	V-0	1	-	220	-	220			
		3.0	V-0	1	-	220	-	220			
		4.0	V-0	1	-	220	-	220			
		6.4	V-0	1	-	220	-	220			
		9.6	V-0	1	-	220	-	220			

<b>E56</b>	NC	0.127-0.253	VTM-0	-	0	220	220	-	3	3
		0.254-0.380	V-0	-	0	220	220	-		
		0.381-0.507	V-0	0	0	220	220	-		
		0.508-0.513	V-0	0	0	220	220	-		
<b>N750</b>	NC	0.054-.0.063	VTM-0	4	3	200	-	200	4	2

Marking: Company name or tradename "NOMEX" , "Thermount" and material designation on container, wrapper or finished part.

Last Updated on 2008-09-03

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2009 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

